

No Utility Bills Inc.

www.noutilitybills.com

Tel: (780)628-4835

#301 Lyall Subdivision, County of Athabasca, AB, Canada

VIEWS BY APPOINTMENT ONLY!

Husky - Eagle I Wood & Coal Furnace

The Yukon Husky is a 112,000 BTU output whole house combination wood furnace that burns wood/coal and oil.

When you replenish the wood in the firebox, the oil burner will automatically start the wood burning. The burner automatically shuts down when the wood fire is providing enough heat to satisfy the thermostat.

Comes with a Honeywell 7-day digital night setback thermostat. Humidifier or electronic air cleaner is easily added.

All Eagle Multi-Fuel Wood Furnaces are available in either left or right chimney flue outlets.

Specifications

Fuel	Oil, Wood & Coal
Btu Range	up to 112,000 output
Heating Capacity	up to 3,000 Sq. Ft.
Fire Box Capacity	16" W x 24"D x ?"H
Wood Length	24" long
Coal Capacity	lbs
Loading Door	11" x 10"
Burn Time	8 - 10 Hours
Blower Size	1/3 - 1/2 - 3/4 HP
Flue Size	8" With Barometric Damper
*Minimum Chimney	15' @ Sea Level
Supply Plenum Size	20" x 24"
Return Plenum Size	20" x 24"
Filter Size	20" x 25" x 1"
Duct Clearance	6" For First 6' & 1" After
Weight	885 lbs
Depth	56 inches
Height	50-3/4 inches
Width	30 inches
Testing	

Available accessories:


- Hot Rod Water Heater
- Air Conditioning Controls
- Plenum Package



Left Hand Exhaust Model

Standard Features:

- Cast Iron Grates
- Not to be installed in mobile homes
- Automatic Damper Control
- 18" long by 2" thick firebrick lining
- Heat Exchanger 54 sq. ft.
- Includes a secondary air system



Automatic Wood Fire Control

Once the wood or coal is ignited by the gas or oil flame and the furnace is supplying the heat called for by the thermostat, the oil or gas burner automatically shuts off. The wood fire is then controlled by the wood thermostat.



2 Styles of Heavy Cast Iron Grates

80% of the combustion air enters the firebox from below the grates to insure an efficient and clean burning fire. Wood grates are standard equipment or heavier coal shaker grates are offered as an upgrade.



Two Inch Thick Hi-Temperature Firebrick

This firebrick not only protects the steel from extreme combustion temperature in the firebox, it also retains a substantial amount of heat after the wood/coal fire burns down.