



# No Utility Bills Inc.

[www.noutilitybills.com](http://www.noutilitybills.com)

Tel: (780)628-4835

#301 Lyall Subdivision, County of Athabasca, AB, Canada

VIEWINGS BY APPOINTMENT ONLY!

Call Us For  
Current Sale Price  
Of Your  
Preferred Stove &  
Accessories

## Dutch West Value Line Steel Stoves



Model #	CDW247001	CDW244	CDW270007	CDW300007
List Price From *				
Sale Price From *				
Heating capacity	Up to: 1,000 sq. ft.	Up to: 1,000 sq. ft.	Up to: 1,500 sq. ft.	Up to: 2,000 sq. ft.
Firebox Volume	1.3 cu. ft.	1.3 cu. ft.	1.5 cu. ft.	2.15 cu. ft.
Log Length	18"	18"	22"	20"
EPA Burn Rate (Btu/hr)	19,000	26,100	29,300	55,100
Maximum Heat Output Seasoned Cord Wood	N/A	N/A	N/A	N/A
Avg. Efficiency %	65.3	74.5	63.0	70.8
Avg. Emissions g/hr.	4.9	5.3	4.3	4.4
Product Wt. lbs.	180	180	310	300
Shipping Wt. lbs.	210	210	330	320
Over-all Dims.	31.75" h 22.75" w 20.375" d	27" h 22.5" w 20.625" d	29.5" h 27" w 20.875" d	31.5" h 26.5" w 25.125" d
Flue Collar	6" Top			
Ash Drawer	NO	NO	YES	YES
Floor Protection	Minimum of 3/8" thick non-combustible material			
Mobile home approved	YES	NO	NO	NO
<i>Options</i>				
Fresh air kit	Optional	N/A	N/A	N/A
Blower	Optional	Optional	Optional	Optional
<i>Clearances</i>				
Top Clearance	54"	56"	54 1/2"	54"
<i>Clearances Double Wall Pipe</i>				
Rear Clearance	5"	N/A	N/A	N/A
Side Clearance	2 1/2"			
Corner Clearance	2 1/2"			

\*Note: Actual heating area will vary based on fuel, home construction and region. See owners manual for complete dimensions and installation specifications.



# No Utility Bills Inc.

[www.noutilitybills.com](http://www.noutilitybills.com)

Tel: (780)628-4835

#301 Lyall Subdivision, County of Athabasca, AB, Canada

VIEWINGS BY APPOINTMENT ONLY!

Call Us For  
Current Sale Price  
Of Your  
Preferred Stove &  
Accessories

## Windsor Premium Line Steel-Cast Stoves



Model #	WR1000L02	WR1500L02	WR2000L02
List Price From *			
Sale Price From *			
Heating capacity	Up to: 1,000 sq. ft.	Up to: 1,500 sq. ft.	Up to: 2,000 sq. ft.
Firebox Volume	1.3 cu.ft.	1.5 cu.ft.	2.15 cu.ft.
Log Length	18"	22"	20"
EPA Burn Rate (Btu/hr)	26,100	29,300	32,300
Maximum Heat Output Seasoned Cord Wood	N/A	N/A	N/A
Avg. Efficiency %	74.5	63.0	63.0
Avg. Emissions g/hr.	5.3	4.4	2.7
Product Wt. lbs.	222	350	350
Shipping Wt. lbs.	270	380	385
Over-all Dims.	27" h 23 3/4" w 20 1/2" d	30" h 28 1/4" w 22 1/4" d	31" h 26 1/2" w 26" d
Flue Collar	6" Top		
Ash Drawer	YES	YES	YES
Floor Protection	Minimum of 3/8" thick non-combustible material		
Mobile home approved	NO	NO	NO
Blower	Optional	Optional	Optional
Rear Heat Shield	Optional	Optional	Included
Side Heat Shield	N/A	Optional	N/A
Bottom Heat Shield	Included	Included	Included
Top Clearance	56"	54 1/2"	54"
Clearances Double Wall Pipe			
Rear Clearance	8"	6"	10"
Side Clearance	8 1/2"	6"	14"
Corner Clearance	5 1/2"	4"	8"

\*Note: Actual heating area will vary based on fuel, home construction and region. See owners manual for complete dimensions and installation specifications.



# No Utility Bills Inc.

[www.noutilitybills.com](http://www.noutilitybills.com)

Tel: (780)628-4835

#301 Lyall Subdivision, County of Athabasca, AB, Canada

VIEWINGS BY APPOINTMENT ONLY!

Call Us For  
Current Sale Price  
Of Your  
Preferred Stove &  
Accessories

## Dutch West Cast Iron Non-Catalytic Stoves



Model #	DW Cast Small (2477)	DW Cast Medium (2478)	DW Cast Large (2479)
List Price From *			
Sale Price From *			
Heating capacity	Up to: 1,400 sq. ft.	Up to: 1,600 sq. ft.	Up to: 2,400 sq. ft.
Firebox Volume	1.6 cu.ft. / 20-25 lbs	2.0 cu.ft. / 25-30 lbs	2.8 cu.ft. / 30-35 lbs
Side Load Door	Yes	Yes	Yes
Log Length	19"	20" - 22"	22" - 24"
Burn Time	Up to 8 Hours	Up to 10 Hours	Up to 14 Hours
Maximum Heat Output	35,000 Btu	40,000 Btu	55,000 Btu
Avg. Efficiency %	63.0	63.0	63.0
Avg. Emissions g/hr.	1.41	1.49	1.31
Product Wt. lbs.	400	420	480
Over-all Dims.	30-1/2" h 24" w 23" d	30-1/2" h 26-3/4" w 23" d	34" h 29-1/4" w 24-1/2" d
Flue Collar	6" Top or Rear		
Ash Drawer	YES	YES	YES
Floor Protection	K = .84 or R = 1.04 W/BHS	K = .84 or R = .744 W/BHS	K = .84 or R = 1.19 W/BHS
Mobile home approved	YES	NO	NO
Optional: Heat Activated Fan Kit With Rheostat, Outside Air Termination Kit, Rear Flue Collar Heat Shield, Side Heat Shield			
Bottom Heat Shield	Included		
Clearances Double Wall Pipe *To Stove Casting W/DWSP/FCHS/RSHS			
Rear Clearance	15" / 10.5" to Stove Pipe	15" / 10" to Stove Pipe	16" / 10" to Stove Pipe
Side Clearance	23"	17"	20"
Corner Clearance	12.5"	7.5"	12.5"

\*Note: Actual heating area will vary based on fuel, home construction and region. See owners manual for complete dimensions and installation specifications.